We claim:

5

10

15

30

40

- A surface-modified nanoparticulate metal oxide, where the metal is chosen form the group consisting of aluminum, cerium, iron, titanium, zinc and zirconium, wherein
 - a) the surface modification comprises a coating with polyasparaginic acid with a molecular weight $M_{\rm w}$ of from 1000 to 100 000, and
 - b) the metal oxide particles have an average primary particle diameter of from 5 to 10 000 nm.
- 2. The metal oxide according to claim 1, wherein it is surface-modified zinc oxide.
- A method of producing a surface-modified nanoparticulate metal oxide, where the metal is chosen from the group consisting of aluminum, cerium, iron, titanium, zinc and zirconium, by
 - a. precipitation of the metal oxide from an aqueous solution of one of its metal salts,
- 20 b. separating off the precipitated metal oxide from the aqueous reaction mixture and
 - c. subsequent drying of the metal oxide,
- wherein the precipitation of the metal oxide in process step a. takes place in the presence of polyasparaginic acid.
 - 4. The method according to claim 3, wherein the metal salts are metal halides, acetates, sulfates or nitrates.
 - 5. The method according to one of claims 3 and 4, wherein the precipitation takes place in the presence of polyasparaginic acid with a molecular weight $M_{\rm w}$ of from 1000 to 100 000.
- 35 6. The method according to one of claims 3 to 5, wherein the precipitation takes place at a temperature in the range from 20°C to 100°C.
 - 7. The method according to one of claims 3 to 6, wherein the precipitation takes place at a pH in the range from 3 to 12.
 - 8. The method according to one of claims 3 to 7 for producing surface-modified nanoparticulate zinc oxide.

5

10

- 9. The method according to claim 8, wherein the precipitation of the zinc oxide in process step a. takes place from an aqueous solution of zinc(II) chloride or zinc(II) nitrate at a temperature in the range from 25 to 40°C and a pH in the range from 7 to 11 in the presence of polyasparaginic acid with a molecular weight M_w of from 1000 to 7000.
- 10. The use of surface-modified nanoparticulate metal oxides defined according to one of claims 1 to 2 for producing cosmetic preparations.
- 11. The use according to claim 10 for producing cosmetic sunscreen preparations.
- 12. A cosmetic preparation comprising surface-modified nanoparticulate metal oxides defined according to one of claims 1 to 2.